## DEPARTMENT OF HEALTH SERVICES DIVISION OF ASSURANCE AND LICENSURE OFFICE OF MEDICAL FACILITIES SUBSTANTIVE POLICY STATEMENT #SP-015-ALS-OMF

## HOSPICE INPATIENT FACILITIES CLARIFICATION OF PHYSICAL PLANT HEALTH AND SAFETY COMPLIANCE REQUIREMENTS UNDER R9-10-816(A)(2), R9-1-412(A)(8), AND R9-10-104.

This substantive policy statement is advisory only. A substantive policy statement does not include internal procedural documents that only affect the internal procedures of the agency and does not impose additional requirements or penalties on regulated parties or include confidential information or rules made in accordance with the Arizona Administrative Procedure Act. If you believe that this substantive policy statement does impose additional requirements or penalties on regulated parties, you may petition the agency under Arizona Revised Statutes Section 41-1033 for a review of the statement.

The purpose of this substantive policy statement is to clarify the physical plant health and safety requirements for a hospice inpatient facility licensed under 9 A.A.C. 10, Article 1 and Article 8.

- 1. Physical plant health and safety requirements for a hospice inpatient facility are established in R9-10-816(A)(2) and R9-1-412(A)(8) as follows:
  - Compliance with all applicable local, state, and federal physical plant codes and standards; and
  - For construction (as defined in A.R.S. § 36-401) or modification (as defined in A.R.S. § 36-401) of a hospice inpatient facility, compliance with those parts of the National Fire Protection Association 101 Life Safety Code, 2000, including Annex A and Appendix A only, covering *New Health Care Occupancies* and *Existing Health Care Occupancies* as required pursuant to the American Institute of Architects and Facilities Guidelines Institute, Guidelines for Design and Construction of Hospital and Health Care Facilities, 2001, Section 1, Section 3, and Section 13.
- 2. A hospice inpatient facility shall demonstrate compliance with these physical plant codes and standards as required under R9-10-104.